



KEURINGSRAPPORT (3.1) - Chemische samenstelling
FABRIEKS CONTROLE ATTEST (2.2) - Mechanische eigenschappen/
INSPECTION CERTIFICATE (3.1) - Chemical analysis
TEST REPORT (2.2) - Mechanical properties

Datum/Date: 2015-02-27

Certificaat nummer/Cert no: EC23784592 rev. 0

ESAB ordernummer/Our order: 1030199
ESAB referentie/Our ref: Anita Frikk ESAB Kft.
Klantnummer/Cust no: NLB00033
Orderdatum/Your date: 20150225

Ordernummer/Your order: 20031252457
Referentie/Your ref:
Faxnummer/Your fax:
E-mail adres/Your e-mail:

Faktuuradres/Invoice address

ZEVIJ BV LASAULEC CENTRAAL HVEEN
POSTBUS 447
4900 AK OOSTERHOUT
Netherlands

Verzendadres certificaten/Cert receiver

Afleveradres/Delivery address

LASAULEC HEERENVEEN
Lidnr. 403
KUPER 4
8447 GK HEERENVEEN
Netherlands

LEVERING/DELIVERY

Lotnummer/Lot no:

PV509024938B Hoeveelheid/Quantity: 112 CT

PRODUCT/PRODUCT

Merk/Brand: ESAB
Omschrijving/Desc: OK AristoRod 12.50 1.0mm 18kg
Artikelnummer/Item no: 1A50106910

**CHEMISCHE SAMENSTELLING/
CHEMICAL COMPOSITION**

**Actual results
acc to EN 10204 - 3.1**

CLASSIFICATIES/CLASSIFICATIONS

EN ISO 14341-A G 3Si1
EN ISO 14341-A G 38 3 C1 3Si1
EN ISO 14341-A G 42 4 M21 3Si1
SFA/AWS A5.18 ER70S-6
CAN/CSA-ISO 14341 B-G 49A 3 C G6
JIS Z 3312 YGW 12 (C1), (items
ending with H)

Wire/strip

Overige/Auxiliary:

C	0.08%
Si	0.87%
Mn	1.46%
P	0.017%
S	0.020%
Cr	0.06%
Ni	0.03%
Mo <	0.01%
Cu	0.06%
V <	0.01%
Al	0.001%
Ti+Zr	0.01%

MECHANISCHE EIGENSCHAPPEN/MECHANICAL PROPS

Typical data

acc to EN 10204 - 2.2

Norm/Standard: EN
Overige/Auxiliary: M21
Toestand/Condition:

TREKPROEF/TENSILE

ReL	Rm	A4-A5
470 MPa	560 MPa	26 %

KERFSLAGWAARDE/IMPACT

Temp	KV
-30 °C	70 J

OPMERKINGEN/COMMENTS

Product geleverd volgens een QA systeem welke voldoet aan de ISO 9001 norm.
Dit certificaat is elektronisch aangemaakt en geldig zonder ondertekening.
Voor vragen:

Esab Nederland BV - P.O. Box 2236 , 3800 CE Amersfoort , Nederland

Product supplied under a QA Programme fulfilling the EN ISO 9001 standard.
This certificate is produced electronically and is valid without signature.
Please refer any queries to: (see above)

Validation - Chemical Analysis

Josef Moravek

Quality Manager

Validation - Others

Mikael Mimer

Product Manager