



KEURINGSRAPPORT (3.1) - Chemische samenstelling
FABRIEKS CONTROLE ATTEST (2.2) - Mechanische eigenschappen/
INSPECTION CERTIFICATE (3.1) - Chemical analysis
TEST REPORT (2.2) - Mechanical properties

Datum/Date: 2015-06-09

Certificaat nummer/Cert no:

EC23914622 rev. 0

ESAB ordernummer/Our order:

1096597

Ordernummer/Your order:

20031270105

ESAB referentie/Our ref:

Anita Frikk ESAB Kft.

Referentie/Your ref:

Klantnummer/Cust no:

NLB00033

Faxnummer/Your fax:

Orderdatum/Your date:

20150602

E-mail adres/Your e-mail:

Faktuuraadres/Invoice address

ZEVIJ BV LASAULEC CENTRAAL HVEEN
POSTBUS 447
4900 AK OOSTERHOUT
Netherlands

Verzendadres certificaten/Cert receiver

Afleveradres/Delivery address

LASAULEC HEERENVEEN
Lidnr. 403
KUPER 4
8447 GK HEERENVEEN
Netherlands

LEVERING/DELIVERY

Lotnummer/Lot no:

PV524027181B Hoeveelheid/Quantity:

56 CT

PRODUCT/PRODUCT

Merk/Brand:

ESAB

Omschrijving/Desc:

OK AristoRod 12.50 1.0mm 18kg

Artikelnummer/Item no:

1A50106910

**CHEMISCHE SAMENSTELLING/
CHEMICAL COMPOSITION**

Actual results

acc to EN 10204 - 3.1

CLASSIFICATIES/CLASSIFICATIONS

EN ISO 14341-A

G 3Si1

EN ISO 14341-A

G 38 3 C1 3Si1

EN ISO 14341-A

G 42 4 M21 3Si1

SFA/AWS A5.18

ER70S-6

CAN/CSA-ISO 14341

B-G 49A 3 C G6

JIS Z 3312

YGW 12 (C1), (items
ending with H)

Wire/strip

Overige/Auxiliary:

C	0.07%
Si	0.83%
Mn	1.45%
P	0.012%
S	0.012%
Cr	0.06%
Ni	0.02%
Mo <	0.01%
Cu	0.05%
V <	0.01%
Al	0.001%
Ti+Zr	0.01%

MECHANISCHE EIGENSCHAPPEN/MECHANICAL PROPS

Typical data

acc to EN 10204 - 2.2

Norm/Standard:

EN

Overige/Auxiliary:

M21

Toestand/Condition:

TREKPROEF/TENSILE

ReL

Rm

A4-A5

470 MPa

560 MPa

26 %

KERFSLAGWAARDE/IMPACT

Temp

KV

-30 °C

70 J

OPMERKINGEN/COMMENTS

Product geleverd volgens een QA systeem welke voldoet aan de ISO 9001 norm.

Dit certificaat is elektronisch aangemaakt en geldig zonder ondertekening.

Voor vragen:

Esab Nederland BV - P.O. Box 2236 , 3800 CE Amersfoort , Nederland

Product supplied under a QA Programme fulfilling the EN ISO 9001 standard.

This certificate is produced electronically and is valid without signature.

Please refer any queries to: (see above)

Validation - Chemical Analysis

Josef Moravek

Quality Manager

Validation - Others

Mikael Mimer

Product Manager