



KEURINGSRAPPORT (3.1) - Chemische samenstelling
FABRIEKS CONTROLE ATTEST (2.2) - Mechanische eigenschappen/
INSPECTION CERTIFICATE (3.1) - Chemical analysis
TEST REPORT (2.2) - Mechanical properties

Datum/Date: 2018-05-17

Certificaat nummer/Cert no: EC25162351 rev. 0

ESAB ordernummer/Our order: 1948843
ESAB referentie/Our ref: Gabriella Gál
Klantnummer/Cust no: NLB00033
Orderdatum/Your date: 20180514

Ordernummer/Your order: 20031468134
Referentie/Your ref:
Faxnummer/Your fax:
E-mail adres/Your e-mail:

Faktuuradres/Invoice address
ZEVIJ BV LASAULEC HEERENVEEN
POSTBUS 447
4900 AK OOSTERHOUT
Netherlands

Verzendadres certificaten/Cert receiver

Afleveradres/Delivery address
LASAULEC HEERENVEEN
KUPER 4
LIDNR 403
8447 GK HEERENVEEN
Netherlands

LEVERING/DELIVERY

Lotnummer/Lot no:

PVS20821902B

Hoeveelheid/Quantity: 4 CT

PRODUCT/PRODUCT

Merk/Brand: ESAB
Omschrijving/Desc: OK AristoRod 12.50 1.2mm 250kg
Artikelnummer/Item no: **1A50129320**

**CHEMISCHE SAMENSTELLING/
CHEMICAL COMPOSITION**

Actual results: acc to EN 10204 - 3.1

CLASSIFICATIES/CLASSIFICATIONS

EN ISO 14341-A: G 3Si1
EN ISO 14341-A: G 38 3 C1 3Si1
EN ISO 14341-A: G 42 4 M20 3Si1
EN ISO 14341-A: G 42 4 M21 3Si1
SFA/AWS A5.18: ER70S-6
CAN/CSA-ISO 14341: B-G 49A 3 C1 S6
JIS Z 3312: YGW 12 (C1)

Wire/strip

Overige/Auxiliary:

C	0.08%
Si	0.88%
Mn	1.50%
P	0.020%
S	0.016%
Cr	0.04%
Ni	0.01%
Mo	< 0.01%
Cu	0.02%
	< 0.01%
Al	< 0.001%
Ti+Zr	< 0.01%

MECHANISCHE EIGENSCHAPPEN/MECHANICAL PROPERTIES

Typical data: acc to EN 10204 - 2.2

Norm/Standard: EN
Overige/Auxiliary: M21
Toestand/Condition:

TREKPROEF/TENSILE

<u>ReL</u>	<u>Rm</u>	<u>A4-A5</u>
470 MPa	560 MPa	26 %

KERFSLAGWAARDE/IMPACT

<u>Temp</u>	-30 °C	-40 °C
<u>KV</u>	100 J	90 J

OPMERKINGEN/COMMENTS

Product geleverd volgens een QA systeem welke voldoet aan de ISO 9001 norm.
Dit certificaat is elektronisch aangemaakt en geldig zonder ondertekening.
Voor vragen:

Esab Nederland BV - P.O. Box 2236 , 3800 CE Amersfoort , Nederland

Product supplied under a QA Programme fulfilling the EN ISO 9001 standard.
This certificate is produced electronically and is valid without signature.
Please refer any queries to: (see above)

Validation - Chemical Analysis

Josef Moravek

Quality Manager

Validation - Others

Jose Abal Lopez

Product Manager