



KEURINGSRAPPORT (3.1) - Chemische samenstelling
FABRIEKS CONTROLE ATTEST (2.2) - Mechanische eigenschappen/
INSPECTION CERTIFICATE (3.1) - Chemical analysis
TEST REPORT (2.2) - Mechanical properties

Datum/Date: 2020-08-21

Certificaat nummer/Cert no:

EC26124358 rev. 0

ESAB ordernummer/Our order: 0002533949

ESAB referentie/Our ref: Enik Fekete

Klantnummer/Cust no: NLB00033

Orderdatum/Your date: 20200820

Ordernummer/Your order: 0031622610

Referentie/Your ref:

Faxnummer/Your fax:

E-mail adres/Your e-mail:

Faktuuradres/Invoice address
ZEVIJ BV LASAULEC HEERENVEEN
POSTBUS 447
4900 AK OOSTERHOUT
Netherlands

Verzendadres certificaten/Cert receiver

Afleveradres/Delivery address
LASAULEC HEERENVEEN
KUPER 4
LIDNR 403
8447 GK HEERENVEEN
Netherlands

LEVERING/DELIVERY

Lotnummer/Lot no:

PVU28637167

Hoeveelheid/Quantity:

2 RL

PRODUCT/PRODUCT

Merk/Brand: ESAB
Omschrijving/Desc: OK Autrod 12.64 0.8mm 15kg
Artikelnummer/Item no: **1264087700**

CLASSIFICATIES/CLASSIFICATIONS

EN ISO 636-A: W 46 3 4Si1
EN ISO 636-A: W4Si1
EN ISO 14341-A: G 4Si1
EN ISO 14341-A: G 42 3 C1 4Si1
EN ISO 14341-A: G 46 5 M21 4Si1
SFA/AWS A5.18: ER70S-6

MECHANISCHE EIGENSCHAPPEN/MECHANICAL PROPERTIES

Typical data: acc to EN 10204 - 2.2

Norm/Standard: EN
Overige/Auxiliary: M21
Toestand/Condition:

TREKPROEF/TENSILE

ReL Rm A5
490 MPa 590 MPa 29 %

KERFSLAGWAARDE/IMPACT

Temp +20 °C -20 °C -30 °C -40 °C -50 °C
KV 130 J 120 J 100 J 90 J 80 J

**CHEMISCHE SAMENSTELLING/
CHEMICAL COMPOSITION**

Actual results: acc to EN 10204 - 3.1

Wire/strip

Overige/Auxiliary:

C	0.07%
Si	0.87%
Mn	1.64%
P	0.012%
S	0.011%
Cr	0.03%
Ni	0.01%
Mo	< 0.01%
Cu	0.11%
	< 0.01%
Al	< 0.01%
Ti+Zr	0.02%

OPMERKINGEN/COMMENTS

Product geleverd volgens een QA systeem welke voldoet aan de ISO 9001 norm.
Dit certificaat is elektronisch aangemaakt en geldig zonder ondertekening.
Voor vragen:

Esab Nederland BV - P.O. Box 2236 , 3800 CE Amersfoort , Nederland

Product supplied under a QA Programme fulfilling the EN ISO 9001 standard.
This certificate is produced electronically and is valid without signature.
Please refer any queries to: (see above)

Validation - Chemical Analysis

Josef Moravek

Quality Manager

Validation - Others

Jose Abal Lopez,H. Rasmuson

Product Manager,